



No:

Date:...../...../.....

University of Kerala

Sophisticated Instrumentation and Computation Centre (SICC)

Kariavattom Campus, Trivandrum-695 581 Phone: 0471-2308566

E-mail:siccuok@gmail.com

Name:

Official Address:.....

Designation: Department:

E-mail: Mobile:

Category: Kerala University Students (A) Students from colleges affiliated to UoK (B)

Students from other Educational institutions (C) R & D institutes (D)

Industry (E)

Mode of Payment*: DD

Receipt No*.:

Date:

Certified that the sample submitted belong to the user mentioned above. I agree to acknowledge the usage of the facility in all publications arising out of the usage of the SICC. The details of publications will be intimated to the SICC. The samples may be accepted on the behalf of our department/ Institution

Date:

.....

Name and Signature
of the Head of the Institute/Dept.
(Office Seal is mandatory)

Important*:

- Partially filled form and form without office seal will be summarily rejected
- Each page should be printed separately for submission

Office Use only

Sample Received on:

Number of samples :

Analysis for :

Amount :

Purpose :

Name and Signature
Of the authority

ICP-MS/LA-ICP-MS Analysis Request Form

Name:

Address:

.....

E-mail: Mobile:

Number of samples*:

Sample Information*

SL No:	Sample ID	Sample Type* (Solid, Powder, Liquid, Film, Bio...etc, others specify)	Elements Required*	Preparation Method

.....
Name and Signature
of the Applicant

.....
Recommendation of
supervising teacher

.....
Name and Signature
of the Head of the Institute/Dept.
(For researchers of Kerala
University departments)

Important

- i) Extra charges are applicable for sample preparation (Rs500/-) if required**
- ii) Mandatory fields should not have kept blank**
- iii) Sample containers should be uniquely identified and appropriately labeled**
- iv) Please provide the information about any specific sample preparation method required, chemicals to be used, range of instruments to be used, any literature or past analytical experience**
- v) Please specify nature of your sample, if your submitted sample contain toxic/ flammable/ hazardous component, please attach material safety data and other details (if any) along with the sample.**
- vi) For fresh water samples a minimum of 50 ml is required. Saline/brackish or water samples with high TDS will not be taken for analysis, and will be rejected.**
- vii) Partially filled form and form without office seal will be summarily rejected**